

1.888.542.7343 | jameshardie.com





Installed on over 5.5 million homes from coast to coast,
James Hardie® fiber cement siding products are designed to resist
the most extreme conditions while romancing the senses. Enjoy the
warm, natural character of wood with unprecedented peace of mind.
It's easy to see what makes James Hardie the market leader.

UNIQUE FORMULATION

We use the highest quality raw materials and proprietary additives for enhanced strength and moisture protection.

FINISHING TECHNOLOGY

Baked-on color delivers a beautiful finish that resists fading and makes a lasting impression.

COMPLETE EXTERIOR™

Offers homeowners an unrivaled collection of design options with exceptional warranties through a single, trusted manufacturer.

Contents	3	
	2	HardieZone® System
	4	Unique Formulation
	6	Finishing Technology
	8	100% HARDIE Complete Exterior™
	10	HardiePlank Lap Siding
	12	HardiePanel® Vertical Siding
	14	HardieShingle® Siding
	16	HardieTrim® Boards
	18	HardieSoffit® Panels
	20	Color Inspiration
	22	Color Selection
	24	HardieWrap® Weather Barrier
	25	Finishing Touches
	26	The James Hardie Difference
	28	: : Warranty and Endorsements


HardieZone® System

Only James Hardie fiber cement products are Engineered for Climate. In the northern U.S. and Canada, HZ5° products resist shrinking, swelling and cracking even after years of wet or freezing conditions. HZ10° products help protect homes from hot, humid conditions, blistering sun and more.

With James Hardie siding and trim, homeowners have an exterior that's tougher than the elements and easy on the eyes.

NO MATTER WHAT NATURE BRINGS







TOUGHER THAN THE ELEMENTS



Stands up to storms and harsh weather



Resists water absorption to help protect against mold, swelling and cracking



Won't be eaten by animals or insects



Fire resistant



Reduces time and money spent on maintenance



Unique Formulation

HZ5® Substrate


Not all fiber cement is the same. The James Hardie HZ5 product formulation contains the highest quality raw materials. Proprietary additives, combined with an innovative manufacturing process and product design, create a substrate specifically engineered to reduce moisture intrusion and resist damage from wet or freezing conditions.

PROPRIETARY ENHANCEMENTS CREATE THE MOST DURABLE JAMES HARDIE SIDING EVER MADE



Perfect balance of strength and workability

Our balance of high-quality Portland cement, sand and cellulose fiber delivers the best combination of strength and workability.




Enhanced moisture resistance for unmatched durability

Patented and proprietary additives are chemically bonded within the HZ5 substrate matrix to provide durable moisture resistance.



Increased dimensional stability


Our siding is engineered at the microscopic level to create a fiber cement composite with superior dimensional stability that helps protect against shrinking and splitting.



HZ5 LAP SIDING ADVANCED DESIGN

Improved drainage from top to bottom

In addition to our HZ5 product formulation's enhanced moisture resistance,
HardiePlank® HZ5 lap siding features a modified profile with a sloped top and bullnose drip edge for improved drainage over the entire outer face of the board.



Sloped

Positive slope at top drains moisture to outer face of lap



Profiled Drip Edge

Bottom bullnose drip edge allows moisture to drain away from lap

Finishing Technology ColorPlus® Technology

Our advanced ColorPlus Technology finishes deliver the ultimate in aesthetics and performance to your job site. Our products aren't simply painted at the factory. Multiple coats of color are baked onto the board, creating a vibrant, consistent finish for years of lasting character, adhesion and fade resistance.

GIVES HOMES A **BEAUTIFUL, CONSISTENT COATING** THAT PERFORMS BETTER, LASTS LONGER AND LOOKS BRIGHTER



Superior finish adhesion

Multiple proprietary coatings are engineered for superior adhesion to our substrate and applied to all surfaces, edges and features for durable performance.




Superior color retention

Finish is cured onto boards after each coating step for a stronger bond, which allows for exceptional resistance to cracking, peeling and chipping.



Superior UV resistance

Multi-coat, baked-on finish retains its vibrancy longer when compared to vinyl siding and paint on other siding products in all UV conditions.



ColorPlus® Technology

OUR FINISHES ELIMINATE STRESS AND REDUCE COSTLY WEATHER DELAYS



There's no reason to stress over unplanned expenses when it's too cold or damp to paint for extended periods. And there's no reason to question whether or not sub-optimal painting conditions will negatively affect your paint job. In fact, there's no longer any need to paint on-site.

Our ColorPlus Technology finishes are fully cured in a controlled environment and arrive on your job site ready for year-round installation.



100% HARDIE

100% HARDIEComplete Exterior™


Top to bottom, our exterior product line is defined by excellent performance, aesthetics and design options.

Provide protection from the elements, showcase a homeowner's individual style and install peace of mind with exceptional warranties through a single, trusted manufacturer.

HardiePlank® Lap Siding

Sleek and strong, HardiePlank lap siding is not just our best-selling product – it's the most popular brand of siding in America.

With a full spectrum of colors and textures, homeowners can enjoy protection from the elements and the versatility to make their dream to Colonials, HardiePlank lap siding sets the standard in exterior cladding.





SMOOTH

Countrylane Red

12 ft. planks

25.0

5 in.

20.0

Thickness 5/16 in. Length 12 ft. planks 5.25 in. 6.25 in. 7.25 in. 8.25 in. 9.25 in.* 12 in.** 6 in. 7 in. 8 in. 10.75 in. ColorPlus 252 280 210 Pcs./Pallet Prime 252 Pcs./Pallet Pcs./Sq. 25.0 20.0 16.7 14.3 12.5 9.3

5.25 in. 6.25 in. 7.25 in. 8.25 in. 9.25 in.* 12 in.**

210

16.7 14.3 12.5 9.3

252

252

6 in. 7 in. 8 in. 10.75 in.



BEADED CEDARMILL®

Light Mist

Thickness 5/16 in. 12 ft. planks Width 8.25 in. Exposure 7 in. **ColorPlus** Pcs./Pallet Prime Pcs./Pallet Pcs./Sq. 14.3



*9.25 in. only available primed.



BEADED SMOOTH Heathered Moss




Products are available primed or with ColorPlus Technology finishes. For more details, visit jameshardie.com

 $[\]ensuremath{^{**}12}$ in. only available primed and in select areas.

HardiePanel® Vertical Siding

HardiePanel vertical siding delivers style and substance. When combined with HardieTrim® boards, it achieves the rustic board-and-batten look that defines cottage charm. The covered seams contribute to a well-insulated home.

Its crisp, clean lines make HardiePanel vertical siding a smart choice for strong, contemporary designs.





SELECT CEDARMILL®

Navajo Beige Panel & Navajo Beige Rustic Grain® Batten

Thickness 5/16 in.

Size 4 ft. x 8 ft. 4 ft. x 9 ft.* 4 ft. x 10 ft.

 Pcs./Pallet
 50
 50
 50

 Pcs./Sq.
 3.2
 2.8
 2.5



SMOOTI

Evening Blue Panel & Evening Blue Smooth Batten

Thickness 5/16 in.

 Size
 4 ft. x 8 ft.
 4 ft. x 9 ft.*
 4 ft. x 10 ft.

 Pcs./Pallet
 50
 50
 50

 Pcs./Sq.
 3.2
 2.8
 2.5



STUCCO

Navajo Beige Panel

Thickness 5/16 in.

Size 4 ft. x 8 ft. 4 ft. x 9 ft.* 4 ft. x 10 ft.

 Pcs./Pallet
 50
 50
 50

 Pcs./Sq.
 3.2
 2.8
 2.5




SIERRA 8

Not available with ColorPlus Technology

Thickness 5/16 in.

Size 4 ft. x 8 ft. 4 ft. x 9 ft.* 4 ft. x 10 ft. cs./Pallet 50 50 50

Pcs./Sq. 3.2 2.8 2.5




Products are available primed or with ColorPlus Technology finishes. For more details, visit **jameshardie.com**

HardieShingle® Siding

Restore the look of a grand
Cape Cod or add distinction
to a handsome bungalow.
HardieShingle siding embodies
the enchanting look of cedar
shingles with lower maintenance.

Better than the real thing, HardieShingle siding resists rotting, curling, warping and splitting.





STAGGERED EDGE PANEL (7 in. Exposure)

Sandstone Beige

Thickness 1/4 in.
Length 48 in.
Height 15.9 in.
Exposure 7 in.
Pcs./Pallet 100
Sq./Pallet 2
Pcs./Sq. 50.0



STRAIGHT EDGE PANEL (7 in. Exposure)

Iron Gray

Thickness 1/4 in.
Length 48 in.
Height 15.25 in.
Exposure 7 in.
Pcs./Pallet 86
Sq./Pallet 2
Pcs./Sq. 43.0

HardieTrim[®] Boards

Form meets function at every angle with HardieTrim boards. With an authentic look, HardieTrim boards provide design flexibility for columns, friezes, doors, windows and other accent areas.

Unlike wood, it complements your long-lasting, lower maintenance James Hardie siding – adding punctuation to your design statement.



HARDIETRIM® BOARDS



4/4 NT3° SMOOTH

Arctic White

Thickness .75 in.

12 ft. boards Length

3.5 in. 5.5 in. 7.25 in. 11.25 in.

Pcs./Pallet 312 208 156



5/4 NT3® SMOOTH

Arctic White

Thickness 1 in.

Length 12 ft. boards

3.5 in. 4.5 in. 5.5 in. 7.25 in. 11.25 in.

Pcs./Pallet 240 200 160 120 80



CROWN MOULDING

Thickness .75 in.

12 ft. boards Length Width 3.25 in. 5.25 in.

Pcs./Pallet 312 208

HARDIETRIM® BATTEN BOARDS



RUSTIC GRAIN®

Arctic White

Thickness .75 in. 12 ft. boards Length Width 2.5 in.

Pcs./Pallet 437



Thickness .75 in.

Length 12 ft. boards Width 2.5 in.

Pcs./Pallet 437




HardieSoffit® Panels

A home is only as strong as its weakest point. HardieSoffit panels reinforce your work by protecting the vulnerable gap between eaves and exterior walls.

Available in vented, non-vented and a range of pre-cut sizes, these panels complete your design and protect it from moisture and pests.













VENTED CEDARMILL®

Sail Cloth

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 ft.
Width	12 in.	16 in.	24 in
ColorPlus Pcs./Pallet	216	156	108
Prime Pcs./Pallet	200	150	100

VENTED SMOOTH

Thickness	1/4 in.		
Length	12 ft.	12 ft.	8 f
Width	12 in.	16 in.	24
ColorPlus Pcs./Pallet	216	156	10
Prime Pcs./Pallet	200	150	10

NON-VENTED CEDARMILL®

Sail Cloth

Jan Glotii				
Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 ir
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50

NON-VENTED SMOOTH

Sail Cloth

Thickness	1/4 in.			
Length	12 ft.	12 ft.	8 ft.	8 ft.*
Width	12 in.	16 in.	24 in.	48 ir
ColorPlus Pcs./Pallet	216	156	108	
Prime Pcs./Pallet	200	150	100	50

BEADED PORCH PANEL

Arctic White

Thickness 1/4 in. 8 ft. Length Width Pcs./Pallet 50

*48 in. x 8 ft. panels only available primed.

Products are available primed or with ColorPlus Technology finishes. For more details, visit **jameshardie.com**









Express the true nature of a home's character with **ColorPlus® Technology**

PLANK, PANEL, BATTEN AND SHINGLE COLORS



TRIM AND SOFFIT COLORS



Selecting a color? Request a product sample at **jameshardie.com/samples**

Colors shown are as accurate as printing methods will permit. Please see actual product sample for true color.

Color

HardieWrap® Weather Barrier

Moisture management starts with the wrap. Our weather barrier, flex flashing, seam tape and pro flashing deliver the performance that you've come to expect from James Hardie.



Finishing Touches

ColorPlus Technology Accessories

TOUCH-UP KITS

Specially formulated to match ColorPlus Technology finishes, our Touch-up Kits offer resistance to aging, color change and chalking. Included in the kits, Touch-up Pens conceal nailheads and very small nicks and scratches.



Trim Accessories

FLAT TABS

Reduce nail holes and improve the aesthetic of trim applications around windows, doors and band boards.



CORNER TABS

Use corner tabs to reduce the appearance of nail holes that would detract from the finished look of corner trim installations.



Find useful job-site tips in our industry-leading Best Practices Guide. For the latest installation instructions, visit **hardieinstallation.com**

HardieTrim° 5/4 x 3.5 in. Arctic White As unforgettable AS IT IS UNCOMPROMISING. 26

The James Hardie Difference



James Hardie invented fiber cement.

Over 5.5 million installations later, we continue to set the standard in premium, high-performance exterior cladding.

Our products deliver uncompromising durability and finish quality for a beautiful, lower maintenance exterior.

Our unrivaled investment in R&D and constant innovations in product design, manufacturing and distribution allow us to remain steps ahead of the competition. With the support of our people, partners and exceptional warranties, we're committed to protecting your customers' homes while helping your business grow.

Warranty

Protect your home with America's #1 brand of siding backed by an exceptional warranty. Unlike other brands, James Hardie doesn't prorate our siding warranty coverage.* We stand behind our siding 100% for 30 years.



Endorsements – a reputation built on trust

For decades, our fiber cement products have been used to create better places to live. Each new home stands as a testament to our uncompromising quality. That proven track record has earned the loyalty of millions of homeowners and the endorsements of trusted authorities across the building industry.



Chosen by builders as a **Brand Leader** in **Builder Magazine**




Featured on the **DIY Network's Blog Cabin** in 2012, 2013 & 2014



#1 Return on Investment every year since 2005 in **Remodeling Magazine****



HardiePlank lap siding is backed by the **Good Housekeeping Seal**





^{*}ColorPlus Technology finishes and HardieTrim boards come with 15-year limited warranties.

^{*}Remodeling Magazines' Cost vs. Value Report states that re-siding a home with fiber cement siding in the mid-range or larger categories provides the #1 return on investment.